



JIMMY
WON'T
EAT HIS
SPINACH.
BUT HE
DOES
ENJOY A
CHOMP ON
ROVER NOW
AND THEN.

BECAUSE THERE'S NO SUCH THING
AS TOO CLOSE, THERE'S FLEA,
HEARTWORM AND INTESTINAL PARASITE
PROTECTION IN ONE PILL.

Let's face it, kids really love their dogs.
That's why you need SENTINEL®
(milbemycin oxime/lufenuron) Flavor Tabs.
Only SENTINEL protects against fleas,

heartworm, and the three most common
intestinal worms — all without pesticide
residue. It's big protection in one little pill.
Just ask your veterinarian for SENTINEL
Flavor Tabs today. Then you can let your
child and dog continue to have their
"quality time" together knowing they're
both protected.

Ask your
veterinarian
about SENTINEL
Flavor Tabs today.



Dogs must be tested for heartworm prior to use. Digestive neurological and skin side effects may occur.

For dogs with kids.

SENTINEL® (milbemycin oxime/lufenuron) Flavor Tabs® Brief Summary: Please consult full package insert for more information. **Indications:** SENTINEL Flavor Tabs are indicated for use in dogs and puppies, four weeks of age and older, and two pounds body weight or greater. SENTINEL Flavor Tabs are also indicated for the prevention of heartworm disease caused by *Dirofilaria immitis*, for the prevention and control of flea populations, the control of adult *Ancylostoma caninum* (hookworm), and the removal and control of adult *Toxocara canis* and *Toxascaris leonina* (roundworm) and *Trichuris vulpis* (whipworm) infection. Lufenuron controls flea populations by preventing the development of flea eggs and does not kill adult fleas. Concurrent use of insecticides may be necessary for adequate control of adult fleas. **Precautions:** Do not use SENTINEL Flavor Tabs in puppies less than four weeks of age and less than two pounds of body weight. Prior to administration of SENTINEL Flavor Tabs, dogs should be tested for existing heartworm infections. Mild, transient hypersensitivity reactions manifested as labored respiration, vomiting, salivation and lethargy may occur after treatment of dogs carrying a high number of circulating microfilariae. **Adverse Reactions:** The following adverse reactions have been reported in dogs after giving milbemycin oxime or lufenuron: vomiting, depression/lethargy, pruritus, urticaria, diarrhea, anorexia, skin congestion, ataxia, convulsions, hypersalivation and weakness. **Caution:** U.S. Federal law restricts this drug to use by or on the order of a licensed veterinarian. **How Supplied:** SENTINEL Flavor Tabs are available in four tablet sizes; 2.3/46 mg, 5.75/115 mg, 11.5/230 mg and 23/460 mg. They are formulated according to the weight of the dog. Each tablet size is available in color-coded packages of six tablets each. **Storage Conditions:** Store in a dry place at controlled room temperature, between 59°F and 86°F (15-30°C). ©2001 Novartis. SENTINEL and Flavor Tabs are registered trademarks of Novartis.



TOMMY
WON'T
SHARE
WITH HIS
SISTER,
YET HE
DOESN'T
GIVE IT
A SECOND
THOUGHT
WITH
EDDIE.

BECAUSE THERE'S NOTHING CLOSER THAN KIDS AND DOGS, THERE'S FLEA, HEARTWORM AND INTESTINAL PARASITE PROTECTION IN ONE PILL.

There's no denying it. Kids and dogs are great buddies. That's why you need SENTINEL® (milbemycin oxime/lufenuron) Flavor Tabs. Only SENTINEL protects

against fleas, heartworm, and the three most common intestinal worms — all without pesticide residue. It's big protection in one little pill. Just ask your veterinarian for SENTINEL Flavor Tabs today. Then you can be sure that, even when your child and best friend share-and-share-alike, they're both protected.

Ask your veterinarian about SENTINEL Flavor Tabs today.



Dogs must be tested for heartworm prior to use. Digestive neurological and skin side effects may occur.

For dogs with kids.

SENTINEL® (milbemycin oxime/lufenuron) Flavor Tabs® Brief Summary: Please consult full package insert for more information. **Indications:** SENTINEL Flavor Tabs are indicated for use in dogs and puppies, four weeks of age and older, and two pounds body weight or greater. SENTINEL Flavor Tabs are also indicated for the prevention of heartworm disease caused by *Dirofilaria immitis*, for the prevention and control of flea populations, the control of adult *Ancylostoma caninum* (hookworm), and the removal and control of adult *Toxocara canis* and *Toxascaris leonina* (roundworm) and *Trichuris vulpis* (whipworm) infection. Lufenuron controls flea populations by preventing the development of flea eggs and does not kill adult fleas. Concurrent use of insecticides may be necessary for adequate control of adult fleas. **Precautions:** Do not use SENTINEL Flavor Tabs in puppies less than four weeks of age and less than two pounds of body weight. Prior to administration of SENTINEL Flavor Tabs, dogs should be tested for existing heartworm infections. Mild, transient hypersensitivity reactions manifested as labored respiration, vomiting, salivation and lethargy may occur after treatment of dogs carrying a high number of circulating microfilariae. **Adverse Reactions:** The following adverse reactions have been reported in dogs after giving milbemycin oxime or lufenuron: vomiting, depression/lethargy, pruritus, urticaria, diarrhea, anorexia, skin congestion, ataxia, convulsions, hypersalivation and weakness. **Caution:** U.S. Federal law restricts this drug to use by or on the order of a licensed veterinarian. **How Supplied:** SENTINEL Flavor Tabs are available in four tablet sizes; 2.3/46 mg, 5.75/115 mg, 11.5/230 mg and 23/460 mg. They are formulated according to the weight of the dog. Each tablet size is available in color-coded packages of six tablets each. **Storage Conditions:** Store in a dry place at controlled room temperature, between 59°F and 86°F (15-30°C). ©2001 Novartis. SENTINEL and Flavor Tabs are registered trademarks of Novartis.



SOPHIA'S
AFRAID
SHE'LL GET
COOTIES
FROM HER
BROTHER.
A KISS
FROM MAX,
HOWEVER,
IS ANOTHER
STORY.

BECAUSE NOTHING EVER COMES
BETWEEN THEM, THERE'S FLEA,
HEARTWORM AND INTESTINAL PARASITE
PROTECTION IN ONE PILL.

Sometimes, it seems, kids and dogs are
inseparable. That's why you need
SENTINEL® (milbemycin oxime/lufenuron)
Flavor Tabs. Only SENTINEL protects

against fleas, heartworm, and the three
most common intestinal worms — all
without pesticide residue. It's big
protection in one little pill. Just ask your
veterinarian for SENTINEL Flavor Tabs
today. Then you can relax knowing that,
while your child and dog remain best
buddies, they're both protected.

Ask your
veterinarian
about SENTINEL
Flavor Tabs today.



Dogs must be tested for heartworm prior to use. Digestive neurological and skin side effects may occur.

For dogs with kids.

SENTINEL® (milbemycin oxime/lufenuron) Flavor Tabs® Brief Summary: Please consult full package insert for more information. **Indications:** SENTINEL Flavor Tabs are indicated for use in dogs and puppies, four weeks of age and older, and two pounds body weight or greater. SENTINEL Flavor Tabs are also indicated for the prevention of heartworm disease caused by *Dirofilaria immitis*, for the prevention and control of flea populations, the control of adult *Ancylostoma caninum* (hookworm), and the removal and control of adult *Toxocara canis* and *Toxascaris leonina* (roundworm) and *Trichuris vulpis* (whipworm) infection. Lufenuron controls flea populations by preventing the development of flea eggs and does not kill adult fleas. Concurrent use of insecticides may be necessary for adequate control of adult fleas. **Precautions:** Do not use SENTINEL Flavor Tabs in puppies less than four weeks of age and less than two pounds of body weight. Prior to administration of SENTINEL Flavor Tabs, dogs should be tested for existing heartworm infections. Mild, transient hypersensitivity reactions manifested as labored respiration, vomiting, salivation and lethargy may occur after treatment of dogs carrying a high number of circulating microfilariae. **Adverse Reactions:** The following adverse reactions have been reported in dogs after giving milbemycin oxime or lufenuron: vomiting, depression/lethargy, pruritus, urticaria, diarrhea, anorexia, skin congestion, ataxia, convulsions, hypersalivation and weakness. **Caution:** U.S. Federal law restricts this drug to use by or on the order of a licensed veterinarian. **How Supplied:** SENTINEL Flavor Tabs are available in four tablet sizes; 2.3/46 mg, 5.75/115 mg, 11.5/230 mg and 23/460 mg. They are formulated according to the weight of the dog. Each tablet size is available in color-coded packages of six tablets each. **Storage Conditions:** Store in a dry place at controlled room temperature, between 59°F and 86°F (15-30°C). ©2001 Novartis. SENTINEL and Flavor Tabs are registered trademarks of Novartis.